

GAUDIN**PRO™****Bill Wheeler**

Commercial / Fleet Account Manager

Call 702.371.0770 | wwheeler@gaudinford.com

6625 Roy Horn Way Las Vegas, NV 89118

GaudinFord.com/StateFleetNV Pricing**2025MY SUPER DUTY F-550 (CHASSIS CAB DRW) PRICE LIST**

	MODEL		SERIES CODE	BASE VEHICLE PRICE	BASE PRICE	SUGGESTED RETAIL
ALL MODELS	REGULAR CHASSIS CAB	4x2	F5G	145 in. Wheelbase - DRW XL	\$ 54,147	\$ 58,440
			F5G	145 in. Wheelbase - DRW XLT	55,816	60,265
			F5G	169 in. Wheelbase - DRW XL	54,307	58,615
			F5G	169 in. Wheelbase - DRW XLT	55,971	60,435
			F5G	193 in. Wheelbase - DRW XL	54,465	58,790
			F5G	193 in. Wheelbase - DRW XLT	56,136	60,615
			F5G	205 in. Wheelbase - DRW XL	54,620	58,960
			F5G	205 in. Wheelbase - DRW XLT	56,290	60,785
		4x4	F5H	145 in. Wheelbase - DRW XL	56,798	61,345
			F5H	145 in. Wheelbase - DRW XLT	58,467	63,170
			F5H	169 in. Wheelbase - DRW XL	56,953	61,515
			F5H	169 in. Wheelbase - DRW XLT	58,627	63,345
			F5H	193 in. Wheelbase - DRW XL	57,107	61,685
			F5H	193 in. Wheelbase - DRW XLT	58,791	63,525
	F5H		205 in. Wheelbase - DRW XL	57,266	61,860	
	F5H		205 in. Wheelbase - DRW XLT	58,940	63,690	
	SUPER CHASSIS CAB	4x2	X5G	168 in. Wheelbase - DRW XL	55,324	59,730
			X5G	168 in. Wheelbase - DRW XLT	57,221	61,805
			X5G	192 in. Wheelbase - DRW XL	64,605	69,895
			X5G	192 in. Wheelbase - DRW XLT	66,507	71,975
		4x4	X5H	168 in. Wheelbase - DRW XL	58,513	63,225
			X5H	168 in. Wheelbase - DRW XLT	60,411	65,300
			X5H	192 in. Wheelbase - DRW XL	58,673	63,400
			X5H	192 in. Wheelbase - DRW XLT	60,574	65,480
	CREW CHASSIS CAB	4x2	W5G	179 in. Wheelbase - DRW XL	56,474	61,000
			W5G	179 in. Wheelbase - DRW XLT	58,639	63,360
			W5G	203 in. Wheelbase - DRW XL	56,632	61,175
			W5G	203 in. Wheelbase - DRW XLT	58,805	63,540
4x4		W5H	179 in. Wheelbase - DRW XL	59,668	64,500	
		W5H	179 in. Wheelbase - DRW XLT	61,838	66,865	

			W5H	179 in. Wheelbase - DRW LARIAT	68,381	74,035
			W5H	203 in. Wheelbase - DRW XL	59,831	64,680
			W5H	203 in. Wheelbase - DRW XLT	61,993	67,035
			W5H	203 in. Wheelbase - DRW LARIAT	68,541	74,219
Includes Minimum Stand Equipment Listed: <input checked="" type="checkbox"/> Yes, <input type="checkbox"/> No. If no, state exceptions: _____						
Manufacturer's Warranty: 3 year / 36,000 miles Bumper-to-Bumper & 5 Year / 100,000 miles Powertrain (Fleet Only)						

DESTINATION AND DELIVERY		BASE PRICE	SUGGESTED RETAIL
Destination and Delivery (Included in Base Price)		NC	\$1,995
Reno / Carson City. Delivery charge for other than Reno/Carson City (i.e.Ely) \$1.00 per mile.		600	-

OPTIONS PREFERRED		BASE PRICE	SUGGESTED RETAIL
Standard Keys: 2		NC	NC
Additional Key: (each)		\$189.95	-

COLOR OPTIONS		BASE PRICE	SUGGESTED RETAIL
Agate Black Metallic, Antimatter Blue, Avalanche, Carbonized Grey Metallic, Oxford White, Race Red		NC	NC
FLEET ONLY: Green, Green Gem, Orange, School Bus Yellow, Vermillion Red, Yellow		NC	NC
Additional Colors available, refer to option price list.			

	DRIVE	OPTION CODE	POWERTRAINS	BASE PRICE	SUGGESTED RETAIL
ENGINE	4x2/4x4	99T	6.7L Diesel	\$ 9,551	\$ 10,495
			6.7L Diesel (X5G w/ 192 wheelbase)	N/C	N/C
		99D	7.3L 2V DEVCT NA PFI V8 Gas (Standard)	N/C	N/C
AXLE	4x2/4x4	X4N	Axle, Limited Slip 4.10 Ratio (6.7L)	360	395
		X4L	Axle, Limited Slip 4.30 Ratio (6.7L)	360	395
		X8L	Axle, Limited-Slip 4.88 Ratio (6.7L or 7.3L)	360	395

MODEL		OPTION CODE	TIRES	BASE PRICE	SUGGESTED RETAIL
ALL CHASSIS CABS	4x2/4x4	TGM	LT225/70Rx19.5G BSW Traction (4) A/P (2)	\$ 173	\$ 190
	4x4	TGK	LT225/70Rx19.5G BSW Traction (Six) (4x4)	195	215
	4x2/4x4	512	Spare Tire, Jack and Wheel	319	350

MODEL	TRIM SERIES	TRIM TYPE	SEATS	BASE PRICE	SUGGESTED RETAIL
REGULAR CHASSIS CAB	XL	L 1	Vinyl High Back Bucket Cloth 40/20/40 Split Bench - (XL Only) (Regular Cab)	\$ 323 91	\$ 355 100
SUPER & CREW CHASSIS CAB	XL	1	Cloth 40/20/40 Split Bench - Crew Cab (XL Only) Cloth 40/20/40 Split Bench - Super Cab (XL Only)	286 91	315 100
	XLT	2	Cloth Luxury Captains Chairs w/ Console	273	300
REGULAR CHASSIS CAB	XL	4	Cloth High Back Bucket - Regular	468	515
SUPER & CREW CHASSIS CAB	XL	4	Cloth High Back Bucket - Super Cloth High Back Bucket - Crew	468 559	515 615

	OPTION CODE	FLEET OPTIONS	BASE PRICE	SUGGESTED RETAIL
AVAILABLE ON ALL MODELS UNLESS OTHERWISE NOTED	927	Customizable Speed Limit (75 mph)	\$ 73	\$ 80
	91G	360-Degree Dual Beacon LED Warning Strobes – White 360-Degree	592	650
	91S	Dual Beacon LED Warning Strobes – Amber Spare Tire Delete (Only available to Pool Accounts for sale to RI)	592	650
	51D		(78)	(85)
	PGR	Paint, Green (Fleet Only)	600	660
	PW6	Paint, Green Gem (Fleet Only)	600	660
	PMB	Paint, Orange (Fleet Only)	600	660
	PBY	Paint, School Bus Yellow (Fleet Only)	600	660
	PLJ	Paint, Darkened Bronze Metallic (Chassis Cabs)	600	660
	PE4	Paint, Vermillion Red (Fleet Only)	228	250
	PAT	Paint, Yellow (Fleet Only)	600	660
	95K	Paint, School Bus Yellow w/ Agate Black Hood (Fleet Only)	600	660
				150

	OPTION CODE	LIMITED PRODUCTION OPTIONS	BASE PRICE	SUGGESTED RETAIL
AVAILABLE ON ALL MODELS UNLESS OTHERWISE NOTED	47A	Ambulance Prep. Pkg.	\$ 1,096	\$ 1,205
	47L	Ambulance Prep. Pkg. (Special Emissions)	1,096	1,205
	47J	Fire Rescue Prep. Pkg. (Special Emissions)	1,096	1,205

	OPTION CODE	OTHER OPTIONS (continued)	BASE PRICE	SUGGESTED RETAIL
AVAILABLE ON ALL MODELS UNLESS OTHERWISE NOTED AVAILABLE ON ALL MODELS UNLESS OTHERWISE NOTED	64D	Wheels, Forged Polished Aluminum (w/ XLT)	\$ 997	\$ 1,095
	98G	CNG/LPG Fuel Capable Engine (w/ 7.3L only)	286	315
	18B	Platform Running Boards (w/ Regular Cab)	\$ 291	\$ 320
		Platform Running Boards (w/ Super/Crew Cab)	405	445
	166	Carpet Delete	(46)	(50)
	65M	Fuel Tank, 26.5 Gal. Midship	114	125
	65C	Fuel Tank, Dual Diesel (26.5 Gal. & 40 Gal.)	569	625
	41H	Heater, Engine Block	173	190
	54F	Mirrors, PowerScope® Power Glass T-Tow (w/XLT)	255	280
	473	Snow Plow Package	228	250
	68U	Payload Upgrade Package	741	815
	68M	Payload Plus Upgrade Package	1,051	1,155
	68D	Payload Downgrade Package	N/C	N/C
	41P	Skid Plate Package	91	100
	86S	Low Deflection Package	100	110
	67X	Suspension Package, Extra Heavy Service	114	125
	67H	Suspension Package, Heavy Service	114	125
	52B	TowCommand™ Integrated Trailer Brake Controller	273	300
	61J	Tire Jack	50	55
		Tire Jack (with spare tire)	N/C	N/C
	535	High Capacity Duty Trailer Tow	528	580
	41A	Rapid-Heat Supplemental Cab Heater	228	250
	61L	Front Wheel Well Liners	164	180
	872	Rear View Camera & Prep Kit	377	415
	59H	Center High Mount Stop Lamp (CHMSL)	N/C	N/C
	76C	Exterior Back-up Chime	200	220
	945	Stainless Steel Wheel Cover (w/64Z)	455	500
	96V	XL Value Package	205	225
	17V	XLT Value Package (Super & Crew Cabs) - Chassis Cab Only	1,961	2,155
		XLT Value Package (Reg Cab) - Chassis Cab Only	1,729	1,900
	52S	Interior Work Surface	128	140
	43K	2kW Pro Power	897	985
	67P	Extra HD Front End Suspension - GAWR 7,500 lbs.	260	285
	435	Window, Power Sliding Rear	368	405
	60X	Automated Emergency Braking (AEB) Removal – XL only	N/C	N/C
	86K	Programmable Engine Idle Shutdown Timer	228	250
	86M	Dual Batteries (78 Amp.)	191	210
		Dual Batteries (68 Amp.) (XLT & Lariat)	N/C	N/C
		Dual Batteries (68 Amp.) CC w/ 99T	N/C	N/C
		Dual Batteries (68 Amp.) 43C or 47A or 47L	N/C	N/C
	43C	120V/400W Outlet	160	175
	63C	Aft-Axle Frame Extension (beyond wheel base)	104	115
	67B	Dual Extra Heavy-Duty Alternator	104	115
		Dual Extra Heavy-Duty Alternator w/ 43C & 473 (XL)	104	115
		Dual Extra Heavy-Duty Alternator w/ 7.3L Gas engine (XLT & Lariat)	N/C	N/C
		Dual Extra Heavy-Duty Alternator w/ 47A, 47L, 47J	N/C	N/C
	21X	Vehicle Safe by Console Vault	319	350
PRR	Paint, Ruby Red Metallic Tinted Clearcoat (Chassis Cabs)	228	250	
PR7	Paint, Glacier Grey Metallic Tri-Coat (Chassis Cabs)	451	495	
PAZ	Paint, Star White Metallic Tri-Coat (Chassis Cabs)	451	495	
16T	Floor Mats, All-Weather (w/o carpet floor mats)	119	130	

2025 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)
STANDARD EQUIPMENT

The following features are standard on every 2025 SUPER DUTY® Chassis Cab vehicle:

<p>MECHANICAL</p> <ul style="list-style-type: none"> • Brakes – Four-wheel Disc Brakes with Anti-Lock Brake System (ABS) • Operator Commanded Regeneration (OCR) (6.7L Power Stroke® Diesel Engine Only) • Transmission Power Take-Off Provision <p>EXTERIOR</p> <ul style="list-style-type: none"> • <u>Doors</u> <ul style="list-style-type: none"> — Two (Regular Cab only) — Four (SuperCab/Crew Cab only) • <u>Fuel Tank</u> <ul style="list-style-type: none"> — 40 gallon aft axle — Diesel Exhaust Fluid (DEF) Tank Location: <ul style="list-style-type: none"> ○ Aft-of-axle fuel tank is paired with the DEF tank located in the mid ship location, between the frame rails. ○ Mid ship fuel tank is paired with the DEF tank located outside of the frame rail ○ Dual tanks are paired with the DEF tank located outside of the frame rail • <u>Glass</u> <ul style="list-style-type: none"> — Solar-tinted complete (Std. on XL) — Privacy (Std. on XLT and Lariat; NA front-seat windows) • Manual Locking Hub (4x4) • Scuff plates – front, color-coordinated • "Three-Blink" lane change signal • Tow hooks – front, (two) (2) • Trailer wiring – 7 wire harness w/relays, blunt cut and labeled • Windshield wipers – intermittent <p>INTERIOR/COMFORT</p> <ul style="list-style-type: none"> • <u>Convenience</u> <ul style="list-style-type: none"> — Coat hooks, LH/RH color-coordinated — Dash top tray — Dome lamp – LH/RH door activated & I/P switch operated w/delay — Handles, grab – driver & front-passenger — Handles, roof ride – front-passenger (also over rear-doors on Crew Cab) — Map lights – dual (front and rear w/Crew Cab) — 12V Powerpoint, auxiliary • Door-trim – color-coordinated molded w/grab handle & reflector • Gauges and Meters – Fuel, Transmission Temperature, Engine Coolant Temperature, Oil Pressure (Gas engine) and Turbo (Diesel engine) Gauges; Speedometer, Odometer and Tachometer • Headliner – color-coordinated cloth • Instrument panel – color-coordinated w/ glove box, four (4) air registers w/positive shut-off and powerpoint • <u>Instrumentation Center</u> <ul style="list-style-type: none"> — 4.2" LCD Productivity Screen in IP Cluster (standard on XL and XLT) — 12" LCD Productivity Screen in IP Cluster (Standard on Lariat) 	<p>INTERIOR/COMFORT (continued)</p> <ul style="list-style-type: none"> • Power Equipment Group – 1st row (front-seat) windows w/ one-touch up/down, power 2nd row (rear-seat) windows (Super/Crew Cab); power/door-locks w/backlit switches & accessory delay • Overhead Console with 6 Upfitter Switches • Steering – power • Steering damper <p>SAFETY/SECURITY</p> <ul style="list-style-type: none"> • AdvanceTrac® with RSC® (Roll Stability Control™) • <u>Airbags</u> <ul style="list-style-type: none"> — Driver and Passenger frontal and side airbag/curtain — Passenger side airbag deactivation switch • Child tethers (Regular Cab front-passenger and all rear-seating positions) • Lamps – LED Roof marker/clearance • <u>Safety Belts</u> <ul style="list-style-type: none"> — Belt-Minder® (front safety belt reminder) – chime and flashing warning lights on I/P if belts not buckled — Color-coordinated safety belts w/height adjustment (front-outboard seating positions only) • SecuriLock® Passive Anti-Theft System (PATS) • SOS Post-Crash Alert System™ • Stationary Elevated Idle Control (SEIC) • Ford Security Package (1-year included with activation) <p>FORD CO-PILOT360™ TECHNOLOGY</p> <ul style="list-style-type: none"> • AutoLamp – Auto On/Off Headlamps • Cruise Control (steering wheel-mounted) <p>FUNCTIONAL</p> <ul style="list-style-type: none"> • <u>Alternator</u> <ul style="list-style-type: none"> — XL: <ul style="list-style-type: none"> ○ 7.3L 2 Valve Gas – 190 AMP ○ 6.7L 4 Valve Diesel – 250 AMP — XLT: <ul style="list-style-type: none"> ○ 7.3L 2 Valve Gas – 410 AMP Dual ○ 6.7L 4 Valve Diesel – 350 AMP Dual — Lariat: <ul style="list-style-type: none"> ○ 7.3L 2 Valve Gas – 410 AMP Dual ○ 6.7L 4 Valve Diesel – 350 AMP Dual • Vehicle Integration System 2.0 (includes Grp65 68AH 750 CCA AGM battery when equipped with 7.3L gas engine and 250 amp single alternator) • Hood release • Horn – dual electric • Intelligent Oil-Life Monitor® (6.7L Power Stroke® Diesel engine) • Oil minder system • Shock absorbers – heavy-duty gas • Springs, rear auxiliary • Stabilizer bar – front and rear
--	---

The following features are standard on selected 2025MY SUPER DUTY® Chassis Cab vehicles:

2025 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550 / F-600)

PACKAGED OPTIONS

XL CHROME PACKAGE (96V)

Availability:

- Optional on XL

Includes:

- Bright chrome hub covers and center ornaments (F-350 SRW only)
- Chrome front bumper
- Bright Grille
- Privacy Glass with Power Sliding Rear Glass w/ Rear Window Defrost (SuperCab and Crew Cab only)
- Remote Start
- Halogen Fog Lamps

XLT VALUE PACKAGE (17V)

Availability:

- Optional on XLT

Includes:

- Autolock/Auto unlock NC
- Electrochromic Rear View Mirror [BSBAF]
- Power Driver's Seat (eight-way)
- Rear Under Seat Storage (NA w/ Regular Cab or Crew Cab; fixed/non-locking on SuperCab)
- Heated Driver Seat (NA w/ Regular Cab)
- Rear Window Defrost
- Remote Start
- Power Adjustable Pedals

TRAILER TOW PACKAGE – HIGH CAPACITY (535)

Availability:

- Optional on all F-450 and F-550

Requires:

- 6.7L Power Stroke® Diesel engine (99T)
- Payload Plus Upgrade Pkg (68M) on F-550

Includes:

- Trailer brake wiring kit
- Increase GCW on diesel engine from 32,500 lbs. to 35,000 lbs. (F-450)
- Increase GCW on diesel engine from 32,500 lbs. to 40,000 lbs. (F-550)
- Upgraded rear-axle

NOTE: *Salesperson's Portfolio or Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and model availability. See Supplemental Reference for vehicle height consideration.*

SNOW PLOW PREP PACKAGE (473)

Availability:

- Optional on all Chassis Cabs

Not available with:

- Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Packages (47A/47L) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J) or Extra Heavy Duty Front End Suspension (67P)

Requires:

- 4x4 (F-350 only)

Includes:

- Alternator: 7.3L – 250 Amp Alternators (67E)
- Alternator: 7.3L – 350 Amp Alternator (67A) w/ Dual Battery (86M)
- Alternator: 6.7L – 350 Amp Alternators (67A)
- Pre-selected springs (See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations)

Options Available: *(Highly recommended for max power output)*

- 410 Amp Alternators (67B)

NOTE 1: *Restrictions apply; see Supplemental Reference or Body Builders Layout Book for details.*

NOTE 2: *Also allows for the attachment of a winch*

NOTE 3: *Highly recommended to add (86M) dual battery on 7.3L gas engine*

HEAVY-SERVICE FRONT SUSPENSION PACKAGE (67H)

Availability:

- Optional on all Chassis Cabs

Usage:

- Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

Not available with:

- Ambulance Prep Packages (47A/47L), Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J), Snow Plow Prep Package (473) or Extra Heavy-Service Suspension Package (67X)
- F-600A

Includes:

- Heavy-service front springs. (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

NOTE 1: *May result in a deterioration of ride quality.*

NOTE 2: *Vehicle ride height will increase w/the addition of this package*

EXTRA HEAVY-SERVICE SUSPENSION PACKAGE (67X)

Availability:

- Optional on all Chassis Cabs

Usage:

- Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

Not available with:

- Ambulance Prep Packages (47A/47L), Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J), Snow Plow Prep Package (473) or Heavy-Service Front Suspension Package (67H)
- F-600A

Includes:

- Extra heavy-service front springs (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

NOTE 1: *May result in a deterioration of ride quality.*

NOTE 2: *Vehicle ride height will increase w/the addition of this package*

EXTRA HEAVY DUTY FRONT END SUSPENSION – 7500 GAWR (67P)

Availability:

- Optional on F-450 or F-550
- Standard on F-600

Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer

Not available with:

- Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X) or Snow Plow Prep Package (473)

Includes:

- (3) Unique Front Axle
 - 7500 LB GAWR for 4x2 Chassis
 - 7500 LB GAWR for 4x4 Chassis @ 4.30 Ratio
 - 7500 LB GAWR for 4x4 Chassis @ 4.88 Ratio
- Max 7500 lbs. Front Springs/GAWR rating for configuration selected

AMBULANCE PREP PACKAGE (47A)

Availability:

- Optional on XL and XLT (Fleet Only)

Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer
- Ford vehicles are suitable for producing ambulances only if equipped w/the Ford Ambulance Prep Package. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).
- Using a Ford vehicle without the Ford Ambulance Package to produce an ambulance voids the Ford warranty

Not available with:

- Snow Plow Prep Package (473), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Package w/Special Emissions (47L) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J)

Requires:

- 6.7L Power Stroke® Diesel engine (99T)
- 7.3L Gas engine (99N)

Includes:

- 410 Amp Alternator (67B)
- Upgraded Front Springs / GAWR rating, please see Supplemental Order Guide, or visit fordbbas.com for complete details. (F-450, F-550, F-600)
- 5250 to 5990 lbs. Max Front Springs / Front GAWR (F-350) see supplemental Order Guide for complete details[DYAAS]
- 4.10 Limited-slip "Wide track" axle included w/F-350 DRW (X4W) – 6.7L Power Stroke® Diesel engine (99T) only

Options Available:

- "Standard" width 4.10 Limited-slip rear-axle w/DRW (X4N)

NOTE: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.

AMBULANCE PREP PACKAGE W/EPA SPECIAL EMERGENCY VEHICLE EMISSIONS (47L)

Availability:

- Optional on XL and XLT (Fleet Only)

Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer
- Ford vehicles are suitable for producing ambulances with special emissions only if equipped w/the Ford Ambulance Prep Package w/EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).
- Using a Ford vehicle without the Ford Ambulance Package w/EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty

Not available with:

- Snow Plow Prep Package (473), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Package (47A) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J)

Requires:

- 6.7L Power Stroke® Diesel engine (99T)

Includes:

- 410 Amp Alternator (67B)
- Upgraded Front Springs / GAWR rating, please see Supplemental Order Guide, or visit fordbbas.com for complete details. (F-450, F-550, F-600)
- 5250 to 5990 lbs. Max Front Springs / Front GAWR (F-350) see supplemental Order Guide for complete details
- "Wide track" axle included w/F-350 DRW (X4W)

Options Available:

- "Standard" width 4.10 Limited-slip rear-axle w/DRW (X4N)

NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.

NOTE 2: Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO operation

NOTE 3: Must meet the definition of an Emergency Vehicle, "an Ambulance or Fire Truck" per 40 CFR 86.1803.01 in the Federal Register.

NOTE 4: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.

FIRE/RESCUE PREP PACKAGE W/EPA SPECIAL EMISSIONS – FOR DIESEL ENGINE (47J)

Availability:

- Optional on XL and XLT (Fleet Only)

Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer
- Ford urges fire/rescue vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).

Not available with:

- Snow Plow Prep Package (473), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X) or Ambulance Prep Packages (47A/47L)

Requires:

- 6.7L Power Stroke® Diesel engine (99T)

Includes:

- 410 Amp Alternator (67B)
- Upgraded Front Springs / GAWR rating, please see Supplemental Order Guide, or visit fordbbas.com for complete details

NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.

NOTE 2: Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO operation

NOTE 3: Must meet the definition of an Emergency Vehicle, "an Ambulance or Fire Truck" per 40 CFR 86.1803.01 in the Federal Register.

NOTE 4: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.

PAYLOAD DOWNGRADE PACKAGE (68D)

Availability:

- Optional F-450 and F-550

Not available with:

- F-350
- Trailer Tow Package – High Capacity (535) on F-550

Includes:

- 15,000 lbs. Gross Vehicle Weight Rating (F-450 Only)
- 17,500 lbs. Gross Vehicle Weight Rating (F-550 Only)

PAYLOAD UPGRADE PACKAGE (68U)

Availability:

- Optional on XL and XLT F-550 Chassis Cabs 145" wheelbase with 7.3L Gas engine (99N)

Requires:

- 4.88 Limited-slip rear-axle (X8L)

Includes:

- Increased GVWR to 19,000 lbs.
- Upgraded frame
- Upgraded rear-axle

NOTE: See Order Guide Supplemental Reference for further details on GVWR and payload ranges

PAYLOAD PLUS UPGRADE PACKAGE (68M)

Availability:

- Optional on F-550

Not available with:

- 145" wheelbase on gas engine

Requires:

- Trailer Tow Pkg – High Capacity (535) on 6.7L Diesel (99T)

Includes:

- Increases GVWR from 18,000 lbs. to 19,500 lbs.
- Increases max RGAWR to 14,706
- Low Deflection/High Capacity Rear Springs
- Upgraded frame
- Upgraded rear-axle

Options Available:

- Low Deflection Spacer (86S)

NOTE: See Order Guide Supplemental Reference for further details on GVWR.

16,000 GVWR PACKAGE (68L)

Availability:

- Optional on all F-450 Chassis Cabs

Includes:

- Provides 16,000 lbs. Gross Vehicle Weight Rating

LOW DEFLECTION SPACER (86S)

Availability:

- Optional on F-450, F-550 and F-600 Chassis Cabs

Not available with:

- 4x4 w/145" WB
- F-600 w/ 145" WB, 4x2

Usage:

- Recommended for rear-biased loading, such as wrecker/retriever applications

Includes:

- 2" spacer blocks

CNG/Propane GASEOUS ENGINE PREP PACKAGE (98G)

Availability:

- Optional on all XL and XLT F-450, F-550 and F-600

Requires:

- 7.3L Gas engine (99N)
- Regular Cab

Includes:

- Hardened Engine Intake Valves and Valve Seats

NOTE: This package does not include CNG/Propane fuel tanks, lines, etc. Vehicle will be equipped with the standard factory gasoline fuel system. Additional equipment combined with Certified calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/Propane fueled vehicle. See Alternative Fuel Buyers Guide:

www.ford.com/altfuelbuyersguide

Ford Motor Company does not provide an exhaust or evaporative emissions certificate with this option when converted to use CNG or Propane fuel. Ford does not represent that a vehicle converted to use CNG or Propane will comply with all applicable U.S. or Canadian safety standards. It is the responsibility of the final stage manufacturer (body-builder, installer, alterer or subsequent stage manufacturer) to determine that any vehicle converted to use CNG or Propane complies with U.S. Federal, California or Canadian exhaust and evaporative emission requirements, Federal fuel economy standards, U.S. and Canadian safety standards, labeling and any other requirements

REAR VIEW CAMERA AND PREP KIT (872)

Availability:

- Optional on XL and XLT
- Standard on Lariat

Pre-installed Content Includes:

- Cab Wiring
- Frame Wiring to the rear most cross member

Upfitters kit Includes:

- Camera with mounting bracket
- 20' jumper wire
- Camera mounting and aiming instructions

Vehicle Special Order (VSO)

FLEET ONLY. See www.fmcdealer.com for current VSO Order Guide. This live guide includes VSO option codes, descriptions and pricing. Email vsomail@ford.com or call 1.800.34.FLEET, menu 4 with any VSO questions you may have.

High Sulfur Diesel Fuel Usage

Vehicles for intended usage with diesel fuel sulfur content greater than 15ppm require Euro II (>500ppm sulfur) or Euro III (<500ppm sulfur) packages to avoid engine functionality issues.

Packages are available through Export Order Guide with the appropriate US EPA exemption or verifiable export usage.

NOTE: JP8 fuel is supported and compatible with these packages

Leaded Fuel Capable

NOTE: Post build modification kits are not available. Vehicles must be ordered correctly for the market that they are to be sold and operated in.